

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name:

**AEROSOL**

**VAR NETTOYANT FREINS NL 75000**

Article number:

NL-75000

UFI:

E2QP-Q6P7-100D-SHCM

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Cleaning agent/ Cleaner  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

VAR  
Espace Eiffel – Lot D6  
19 Avenue Gustave Eiffel  
28630 Gellainville - France  
T +33.(0)2.37.33.37.10  
contact@vartools.com

1.4 Emergency telephone number:

ORFILA (INRS) : +33 (0)1 45 42 59 59

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Skin Irrit. 2	H315	Causes skin irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS02 GHS07 GHS09

Signal word

Danger

Hazard-determining components of labelling:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  
Hydrocarbons, C6, isoalkanes, <5% n-hexane

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 1)

- **Precautionary statements**
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

- **Description:** Active substance with propellant

· **Dangerous components:**

EC number: 927-510-4 Reg.nr.: 01-2119475515-33	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
EC number: 931-254-9 Reg.nr.: 01-2119484651-34	Hydrocarbons, C6, isoalkanes, <5% n-hexane ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	25-50%
CAS: 124-38-9 EINECS: 204-696-9 Reg.nr.: Note 1	carbon dioxide ⚠ Press. Gas (Liq.), H280	2.5-5%

- **Additional information:** Note 1: Listed in Annex IV / V REACH, exempted from registration  
For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information:** Seek immediate medical advice.  
Immediately remove any clothing soiled by the product.
- **After inhalation:** Seek immediate medical advice.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.  
Rinse mouth with water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

GB

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.  
Foam  
Fire-extinguishing powder  
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Heat (or fire) will increase pressure and may lead to the receptacle bursting.  
Formation of toxic gases is possible during heating or in case of fire.  
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Not applicable, as aerosol.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Use only in well ventilated areas. Do not breathe vapors or spray mist.  
Avoid contact with skin, eyes and clothing.  
Take note of emission threshold.
- **Information about fire - and explosion protection:**  
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.  
Keep ignition sources away - Do not smoke.  
Do not spray onto a naked flame or any incandescent material.  
Use explosion-proof apparatus / fittings and spark-proof tools.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 3)

### · 7.2 Conditions for safe storage, including any incompatibilities

#### · Storage:

#### · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

#### · Information about storage in one common storage facility:

#### · Further information about storage conditions:

Do not store together with oxidising and acidic materials.

Store in cool, dry conditions.

Protect from heat and direct sunlight.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

### · 7.3 Specific end use(s)

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · Additional information about design of technical facilities:

No further data; see item 7.

### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

#### Hydrocarbons, C6, isoalkanes, <5% n-hexane

Dermal	Long term systemic effects	13,964 mg/kg (Travailleurs / Workers)
Inhalative	Long term systemic effects	5,306 mg/m <sup>3</sup> (Travailleurs / Workers) (8 h)

#### · Additional information:

The lists valid during the making were used as basis.

### · 8.2 Exposure controls

#### · Personal protective equipment:

#### · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before drinking, eating or smoking.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation / suction of the workstation.

Avoid contact with the eyes and skin.

Wearing of Personal Protective Equipment (PPE) required for all persons with allergies.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

A1/P1

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

PVA gloves

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

Trade name: **VAR NETTOYANT FREINS NL 75000**

(Contd. of page 4)

· **Penetration time of glove material**

The exact breakthrough time of the glove material has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses

· **Body protection:**

Use protective suit.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:

Aerosol

Colour:

Colourless

#### · Odour:

Solvent-like

#### · pH-value:

Not applicable.

#### · Change in condition

Melting point/freezing point:

Undetermined.

Initial boiling point and boiling range: Not applicable, as aerosol.

#### · Flash point:

&lt;0 °C

#### · Decomposition temperature:

Not determined.

#### · Auto-ignition temperature:

Not determined.

#### · Vapour pressure:

Not determined.

#### · Density at 25 °C:

<1 g/cm<sup>3</sup>

#### · Solubility in / Miscibility with water:

Insoluble.

#### · Viscosity:

Kinematic:

Not determined.

#### · 9.2 Other information

Physical and chemical properties of the active ingredient without gas.

## SECTION 10: Stability and reactivity

### · 10.1 Reactivity

No further relevant information available.

### · 10.2 Chemical stability

#### · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### · 10.3 Possibility of hazardous reactions

None when normally used.

### · 10.4 Conditions to avoid

Heat, flames and sparks.

Avoid the accumulation of electrostatic charges.

Temperature &gt; 50°C.

Direct sunlight

### · 10.5 Incompatible materials:

Materials to avoid: strong acids. oxidizing

### · 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

GB

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 5)

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

##### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Oral	LD50.	>5,000 mg/kg (Rat)
Dermal	LD50.	>2,900 mg/kg (rabbit)

##### Hydrocarbons, C6, isoalkanes, <5% n-hexane

Oral	LD50.	>16,750 mg/kg (Rat) (OCDE 401)
Dermal	LD50.	>3,350 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/4h.	259,354 mg/m <sup>3</sup> (Rat) (OECD 403)

#### Primary irritant effect:

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

#### Additional toxicological information:

May cause drowsiness or dizziness.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** May cause drowsiness or dizziness.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

#### 12.1 Toxicity

#### Aquatic toxicity:

##### Hydrocarbons, C6, isoalkanes, <5% n-hexane

EL 50 (48h)	31.9 mg/l (Daphnia magna)
LL50 (96h)	18.3 mg/l (Oncorhynchus mykiss)
ErL50 (72h)	13.6 mg/l (Pseudokirchneriella subcapitata)

#### 12.2 Persistence and degradability

No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Toxic for fish

#### Additional ecological information:

**General notes:** Do not allow product to reach ground water, water course or sewage system.

The product contains materials that are harmful to the environment.

Toxic for aquatic organisms

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 6)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Send to an approved waste facility.

Do not allow product to reach sewage system or any water course.

##### Uncleaned packaging:

##### Recommendation:

Send to an approved waste facility.

Disposal must be made according to official regulations.

Do not pierce or burn, even after use.

### SECTION 14: Transport information

#### 14.1 UN-Number

##### ADR, IMDG, IATA

UN1950

#### 14.2 UN proper shipping name

##### ADR

UN1950 AEROSOLS, ENVIRONMENTALLY  
HAZARDOUS

##### IMDG

AEROSOLS (Hydrocarbons, C6, isoalkanes, <5% n-  
hexane, Hydrocarbons, C6, isoalkanes, <5% n-hexane),  
MARINE POLLUTANT

##### IATA

AEROSOLS, flammable

#### 14.3 Transport hazard class(es)

##### ADR



##### Class

2 5F Gases.

##### Label

2.1

##### IMDG



##### Class

2.1

##### Label

2.1

##### IATA



##### Class

2.1

##### Label

2.1

#### 14.4 Packing group

##### ADR, IMDG, IATA

Void

#### 14.5 Environmental hazards:

Product contains environmentally hazardous substances:  
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics,  
Hydrocarbons, C6, isoalkanes, <5% n-hexane

##### Marine pollutant:

Yes  
Symbol (fish and tree)

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 7)

· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Gases.
· <b>Hazard identification number (Kemler code):</b>	-
· <b>EMS Number:</b>	F-D,S-U
· <b>Stowage Code</b>	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· <b>Segregation Code</b>	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 26.03.2020

**Trade name: VAR NETTOYANT FREINS NL 75000**

(Contd. of page 8)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Shelf-life : 24 months from the date it was manufactured.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.  
 H280 Contains gas under pressure; may explode if heated.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H336 May cause drowsiness or dizziness.  
 H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Aerosol 1: Aerosols – Category 1  
 Press. Gas (Liq.): Gases under pressure – Liquefied gas  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Asp. Tox. 1: Aspiration hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **\* Data compared to the previous version altered.**